For Research Use Only

NDUFA4L2 Recombinant antibody

Catalog Number:84498-1-RR



Basic Information

Catalog Number:GenBank Accession Number:Purification Method:84498-1-RRBC011910Protein A purfication

 Size:
 GeneID (NCBI):
 CloneNo.:

 1000 ug/ml
 56901
 241622B12

Source:UNIPROT ID:Recommended Dilutions:RabbitQ9NRX3WB 1:5000-1:50000Isotype:Full Name:IHC 1:50-1:500IgGNADH dehydrogenase (ubiquinone) 1IF/ICC 1:250-1:1000

Immunogen Catalog Number: alpha subcomplex, 4-like 2

AG9600 Calculated MW: 87 aa, 10 kDa

Observed MW: 10 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA

Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HeLa cells, HepG2 cells, Jurkat cells, PC-3 cells,

human liver tissue

IHC: mouse kidney tissue,

IF/ICC : HeLa cells,

Background Information

NDUFA4L2 (NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 4-like 2), also named as NUOMS, is a HIF-1 α target gene that localizes to the mitochondria and belongs to the complex I NDUFA4 subunit family. It downregulates oxygen consumption and Complex I activity in hypoxia. NDUFA4L2 is involved in hypoxic adaptation by decreasing mitochondrial ROS production.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 84498-1-RR (NDUFA4L2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 84498-1-RR (NDUFA4L2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 84498-1-RR (NDUFA4L2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed Hela cells using NDUFA4L2 antibody (84498-1-RR, Clone: 241622B12) at dilution of 1:500 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Biolayer interferometry (BLI) kinetic assays of 84498-1-RR against Human NDUFA 4L2 were performed. The affinity constant is below 1 pM.