For Research Use Only

LAIR1 Recombinant antibody

Size:

Source: Rabbit

Isotype:

1000 ug/ml

Catalog Number:84677-4-RR



Basic Information

Catalog Number: 84677-4-RR

BC027899 GeneID (NCBI): 3903 UNIPROT ID:

GenBank Accession Number:

immunoglobulin-like receptor 1

Q6GTX8
Full Name:
leukocyte-associated

Calculated MW: 287 aa, 31 kDa

Purification Method: Protein A purfication

CloneNo.: 241805C2

Recommended Dilutions: IHC 1:500-1:2000 IF/ICC 1:200-1:800

Applications

Tested Applications: IHC, IF/ICC, ELISA
Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

IHC: human tonsillitis tissue,

IF/ICC : THP-1 cells,

Background Information

Leukocyte-associated immunoglobulin-like receptor 1 (LAIR1) is a transmembrane glycoprotein with a single immunoglobulin-like domain and a cytoplasmic tail containing two immune receptor tyrosine-based inhibitory motifs (PMID: 9285412). LAIR1 is expressed on the majority of human PBMCs, including NK, T, B, monocytes, and dendritic cells, as well as the majority of thymocytes (PMID: 10229813). It functions as an inhibitory receptor that plays a constitutive negative regulatory role on cytolytic function of NK cells, B cells and T cells. LAIR1 is a collagen receptor (PMID: 16754721). Tumor-expressed collagens can modulate immune cell function through the inhibitory collagen receptor LAIR1 (PMID: 21955987).

Storage


Storage

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed THP-1 cells using LAIR1 antibody (84677-4-RR, Clone: 241805C2) at dilution of 1:400 and CoraLite@488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 84677-4-RR (LAIR1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 84677-4-RR (LAIR1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).