For Research Use Only

## Anti-Human CD200 Rabbit Recombinant Antibody, PBS Only

Catalog Number:98091-2-PBS



**Purification Method:** 

Protein A purfication

CloneNo.:

241329G4

**Basic Information** 

Catalog Number:

98091-2-PBS

Size: 1mg, 2 mg/ml

Source: Rabbit Isotype: GenBank Accession Number: BC022522

GeneID (NCBI):

345

UNIPROT ID: P41217 Full Name:

CD200 molecule Calculated MW:

269 aa, 30 kDa

**Applications** 

**Tested Applications:** 

FC

Species Specificity:

human

**Background Information** 

CD200, also known as OX2, is a type I transmembrane glycoprotein that belongs to the immunoglobulin superfamily (PMID: 3032785). It contains two extracellular immunoglobulin domains, a transmembrane and a cytoplasmic domain. CD200 is expressed on a variety of cell types, including thymocytes, B lymphocytes, a subset of T lymphocytes, follicular dendritic cells, neurons, and endothelial cells (PMID: 3032785; 10981966). CD200 binds to its receptor, CD200R, which is primarily expressed by myeloid and T cell lineage (PMID: 15187158). The CD200-CD200R interaction plays a role in immunosuppression and suppression of anti-tumor immune responses (PMID: 2020332).

Storage


Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C  $\,$ 


Storage Buffer: PBS Only

## **Selected Validation Data**





1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD200 Rabbit Recombinant Antibody (98091-2-RR, Clone: 241329G4) or Isotype Control, and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were co-stained with Coralite® Plus 647 Anti-Human CD19 (4G7) Mouse IgG2a Recombinant Antibody (CL647-65562, Clone: 4G7). Cells were not fixed. Lymphocytes were gated. This data was developed using the same antibody clone with 98091-2-PBS in a different storage



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD200 Rabbit Recombinant Antibody (98091-2-RR, Clone: 241329G4) (red) or Isotype Control (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. Lymphocytes were gated. This data was developed using the same antibody clone with 98091-2-PBS in a different storage buffer formulation.