For Research Use Only

Anti-Human SLAMF7/CD319 Rabbit Recombinant Antibody

Catalog Number:98093-1-RR





Basic Information	Catalog Number: 98093-1-RR	GenBank Accession Number: BC027867	Purification Method: Protein A purfication
	Size: 100ug, 1000 µg/ml	GenelD (NCBI): 57823	CloneNo.: 241321F11
	Source: Rabbit	UNIPROT ID: Q9NQ25	
	Isotype: IgG	Full Name: SLAM family member 7	
		Calculated MW: 335 aa, 37 kDa	
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Information	Signaling lymphocyte activation molecule (SLAM) family receptors is a group of type I transmembrane receptors belonging to the immunoglobulin superfamily (PMID: 37251372). The SLAM family contains nine members that contain an extracellular segment comprising two or four Ig-like domains (V-like variable and C2-like constant), a transmembrane region and a cytoplasmic tail (PMID: 29662641). They are involved in various physiological and pathological processes, including the regulation of immunological responses and the route of viral entry. SLAMF7, also known as CS1, CRACC or CD319, is expressed on NK cells, CD8+T lymphocytes, B lymphocytes, and mature dendritic cells (PMID: 28861320). It exerts both activating and inhibitory effects depending on the expression status of SAP or EAT-2. SLAMF7 is overexpressed in multiple myeloma and makes it a target for immunotherapy (PMID: 28861320).		
Storage	Storage: Store at 2 - 8°C. Stable for one yea Storage Buffer: PBS with 0.09% sodium azide, pH		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data





1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human SLAMF7/CD319 Rabbit Recombinant Antibody (98093-1-RR, Clone:241321F11) or 0.25 ug Isotype Control, and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were then stained with APC Anti-Human CD3. Cells were not fixed. Lymphocytes were gated.

1x10^{^6} human PBMCs were surface stained with 0.25 ug Anti-Human SLAMF7/CD319 Rabbit Recombinant Antibody (98093-1-RR, Clone:241321F11) (red) or 0.25 ug Isotype Control (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. Lymphocytes were gated.



Biolayer interferometry (BLL) kinetic assays of 98093-1-RR against Human SLAMF7/CD319 were performed. The affinity constant is 0.634 nM.