

For Research Use Only

Rabbit IgG Isotype Control Recombinant Antibody, PBS Only

Catalog Number: 98136-1-PBS



Basic Information

Catalog Number:

98136-1-PBS

Size:

1mg, 2 mg/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

GeneID (NCBI):

Full Name:

Purification Method:

Protein A purification

CloneNo.:

240953C9

Applications

Tested Applications:

WB, IHC, IF/ICC, FC, FC (Intra), IP

Species Specificity:

n/a

Background Information

This product is an isotype control antibody, which is used to estimate the non-specific binding of target primary antibodies due to Fc receptor binding or other protein-protein interactions. An isotype control antibody should have the same immunoglobulin type and be used at the same concentration as the test antibody.

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com



W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




1x10⁶ human PBMCs were surface stained with 0.2 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) and PE-Conjugated Goat Anti-Rabbit IgG(H+L) (red in histogram), or 0.2 ug Anti-Human CD4 Rabbit Recombinant Antibody (98042-1-RR) and PE-Conjugated Goat Anti-Rabbit IgG(H+L) (green in histogram), or unstained (blue in histogram). Cells were not fixed. This data was developed using the same antibody clone with 98136-1-




IP result of anti-IgG Isotype Control (IP:98136-1-RR, 4ug; Detection:98136-1-RR 1:0) with HepG2 cells lysate 2000 ug. This data was developed using the same antibody clone with 98136-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (4% PFA) fixed HeLa cells using IgG Isotype Control antibody (98136-1-RR, Clone: 240953C9) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). NOL11 Recombinant antibody (83391-6-RR) is a positive control. This data was developed using the same antibody clone with 98136-1-PBS in a different storage buffer formulation.



1x10⁶ SH-SY5Y cells were intracellularly stained with 0.2 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone:240953C9) and PE-Conjugated Goat Anti-Rabbit IgG(H+L) (red), or 0.2 ug PGF Recombinant antibody (83170-4-RR, Clone:230532H3) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (green), or unstain (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was



HeLa cells were subjected to SDS PAGE followed by western blot with 98136-1-RR (IgG Isotype Control antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 98136-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse colon tissue slide using 98136-1-RR (IgG Isotype Control antibody) at dilution of 2 ug/mL or 83793-5-RR (Cadherin-17 Recombinant antibody) or unstained (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 98136-1-PBS in a different storage buffer formulation.