For Research Use Only


Anti-Human CD38 Rabbit Recombinant Antibody, PBS Only Catalog Number:98148-1-PBS




Basic Information	Catalog Number: 98148-1-PBS	GenBank Accession Number: BC007964	Purification Method: Protein A purfication
	Size: 1mg, 2 mg/ml	GenelD (NCBI): 952	CloneNo.: 241246F9
	Source: Rabbit	ENSEMBL Gene ID: ENSG0000004468	24124019
	lsotype: IgG	UNIPROT ID: P28907	
		Full Name: CD38 molecule	
		Calculated MW: 300 aa, 34 kDa	
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Informatior	CD38, also known as ADP-ribosyl cyclase 1, is a type II transmembrane glycoprotein with a short N-terminal cytoplasmic tail, a single membrane-spanning domain, and a C-terminal extracellular region with four N-glycosylation sites (PMID: 2319135). The extracellular domain of CD38 has bifunctional enzyme activities that catalyze synthesis of cyclic ADP ribose from nicotinamide adenine dinucleotide (NAD) and hydrolysis of cyclic ADP ribose to adenosine diphosphoribose (PMID: 10636863). CD38 is expressed on a variety of hematopoietic and non-hematopoietic cells and is involved in diverse processes such as generation of calcium-mobilizing metabolites, cell activation, and chemotaxis (PMID: 25938500).		
Storage	Storage: Store at -80°C. The product is shipped with Storage Buffer:	ice packs. Upon receipt, store it immediatel	ly at -80°C

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD38 Rabbit Recombinant Antibody (98148-1-RR, Clone:241246F9) or Isotype Control and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were co-stained with APC Anti-Human CD14 (26IC) (APC-65246, Clone: 26IC). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed. This data was developed using the same antibody clone with 98148-1-PBS in a different storage buffer



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD38 Rabbit Recombinant Antibody (98148-1-RR, Clone:241246F9) or Isotype Control, and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed. This data was developed using the same antibody clone with 98148-1-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 98148-1-RR against Human CD38 were performed. The affinity constant is 0.669 nM.