For Research Use Only

Anti-Human CD69 Rabbit Recombinant Antibody

Catalog Number:98173-1-RR



Purification Method:

Protein A purfication

CloneNo.:

241552F1

Basic Information

Catalog Number:

98173-1-RR

Size:

100ug, 1000 ug/ml

Source: Rabbit Isotype: GenBank Accession Number:

NM_001781.2 GeneID (NCBI):

969

UNIPROT ID: Q07108

Full Name: CD69 molecule

Calculated MW: 23 kDa

Applications

Tested Applications:

FC

Species Specificity:

human

Background Information

CD69, also known as AIM, EA-1, Leu-23, and MLR3, is a type II transmembrane glycoprotein that belongs to the C-type lectin superfamily (PMID: 8340758; 7804122). CD69 is constitutively expressed by mature thymocytes, platelets, several subsets of tissue resident immune cells (including resident memory T cells and gamma delta T cells), and is inducibly expressed by activated T cells, B cells, natural killer (NK) cells, monocytes, neutrophils (PMID: 8100776; 28475283). CD69 has been identified as an early activation marker of lymphocytes and is commonly used as a marker of activated lymphocytes and NK cells (PMID: 28475283; 25759842). It is involved in the regulation of immune responses (PMID: 15745855).

Storage


Storage:

Store at 2 - 8°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.09% sodium azide, pH 7.3.


Selected Validation Data






1x10^6 untreated or PHA treated human PBMCs were surface stained with 0.25 ug Anti-Human CD69 Rabbit Recombinant Antibody (98173-1-RR, Clone:241552F1) and PE-Conjugated Goat Anti-Rabbit 1gG(H+L). Cells were then stained with APC Anti-Human CD4 (RPA-T4). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed







Biolayer interferometry (BLI) kinetic assays of 98173-1-RR against Human CD69 were performed. The affinity constant is 0.257 nM.