For Research Use Only

Anti-Human IFN-gamma Rabbit Recombinant Antibody, PBS Only

Catalog Number: 98187-1-PBS



Basic Information

Catalog Number:

98187-1-PBS

Size:

1mg, 2 mg/ml

Source: Rabbit Isotype: ENSEMBL Gene ID: ENSG00000111537 UNIPROT ID: P01579 Full Name: IFN gamma Calculated MW:

GenBank Accession Number:

BC070256

3458

GeneID (NCBI):

166 aa, 19 kDa

Purification Method: Protein A purfication

CloneNo.: 241390B10

Applications

Tested Applications:

FC (Intra)

Species Specificity:

human

Background Information

Interferon gamma (IFN γ), is a type II interferon that provides immunity against bacterial, viral and protozoan infections. In its active form, IFN γ is a glycosylated, non-covalently linked homodimer of 29-32 kDa subunits. It is produced by a number of immune cell types including natural killer cells, natural killer T cells, and effector lymphocyte T cells following antigenic and inflammatory triggers. The IFN γ dimer binds to its cognate receptor which has two subunits: IFN- γ R1 which is the ligand-binding chain (α chain) and IFN- γ R2, the signal-transducing chain (β chain). Binding to the receptor activates the JAK/STAT pathway which in turn activates IFN γ responsive genes. While IFN γ can inhibit viral replication, it also works as an immune-modulator and immune-stimulator by increasing surface expression of class I MHC proteins. (PMID: 19268625; 10688427)

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only

Selected Validation Data



1x10^6 untreated or PMA and ionomycin treated human PBMCs were intracellularly stained with 0.25 ug Anti-Human IFN-gamma Rabbit Recombinant Antibody (98187-1-RR, Clone: 241390810) and PE-Conjugated Goat Anti-Rabbit IgG(IH+L). Cells were co-stained with APC Anti-Human CD3 (OKT3) Mouse IgG2a Recombinant Antibody (APC-65569, Clone: OKT3). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed



1x10^6 PMA and ionomycin treated human PBMCs were intracellularly stained with 0.25 ug Anti-Human IFN-gamma Rabbit Recombinant Antibody (98187-1-RR, Clone: 241390B10) (red) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). 1x10^6 untreated human PBMCs were intracellularly stained with 0.25 ug Anti-Human IFN-gamma Rabbit Recombinant Antibody (98187-1-RR, Clone:

