

For Research Use Only

# Anti-Human BCMA/TNFRSF17 Rabbit Recombinant Antibody, PBS Only

Catalog Number: 98215-1-PBS



## Basic Information

<b>Catalog Number:</b> 98215-1-PBS	<b>GenBank Accession Number:</b> BC058291	<b>Purification Method:</b> Protein A purification
<b>Concentration:</b> 1mg, 2 mg/ml	<b>GeneID (NCBI):</b> 608	<b>CloneNo.:</b> 241731A11
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> Q02223	
<b>Isotype:</b> IgG	<b>Full Name:</b> tumor necrosis factor receptor superfamily, member 17	
	<b>Calculated MW:</b> 184 aa, 20 kDa	

## Applications

**Tested Applications:**  
FC

**Species Specificity:**  
human

## Background Information

BCMA (B cell maturation antigen), also known as TNFRSF17, is 20.2-kDa type III transmembrane glycoprotein and is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes and plasma cells, which may be important for B cell development and autoimmune response (PMID: 32943087; 9846698). BCMA has two agonist ligands: a proliferation-inducing ligand (APRIL) and BAFF. When BCMA binds to APRIL, it transmits signals of cell survival and proliferation (PMID: 27127303); when BCMA binds to BAFF, it mediates the activation of NF-kappaB and MAPK8/JNK (PMID: 36140254). It has been found that the overexpression and activation of BCMA are associated with multiple myeloma (MM) in preclinical models and humans, supporting its potential utility as a therapeutic target for MM (PMID: 32055000; 32943087).

## Storage

**Storage:**  
Store at -80°C.  
**The product is shipped with ice packs. Upon receipt, store it immediately at -80°C**

**Storage Buffer:**  
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Selected Validation Data



$1 \times 10^6$  U266 cells (left) or HEK-293T (right) were surface stained with 0.25  $\mu$ g Anti-Human BCMA/TNFRSF17 Rabbit Recombinant Antibody (98215-1-RR, Clone: 241731A11) (red) or 0.25  $\mu$ g Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. This data was developed using the same antibody clone with 98215-1-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 98215-1-RR against Human BCMA/TNFRSF17 were performed. The affinity constant is 0.20 nM.