

For Research Use Only

# APC Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2)



Catalog Number: APC-65122

1 Publications

## Basic Information

Catalog Number:

APC-65122

Size:

100ug, 0.2 mg/ml

Source:

Rat

Isotype:

IgG2b, kappa

GenBank Accession Number:

BC031711

GeneID (NCBI):

14960

UNIPROT ID:

P14434

Full Name:

histocompatibility 2, class II antigen  
A, alpha

Purification Method:

Affinity purification

CloneNo.:

M5/114.15.2

Excitation/Emission maxima  
wavelengths:

650 nm / 660 nm

## Applications

Tested Applications:

FC

Cited Applications:

FC

Species Specificity:

Mouse

Cited Species:

mouse

## Background Information

Major histocompatibility complex (MHC) class II molecules are heterodimeric transmembrane glycoproteins that are expressed on the surface of antigen-presenting cells such as dendritic cells, macrophages, and B cells. The M5/114.15.2 antibody detects polymorphic determinants present on B cells, monocytes, macrophages, dendritic cells, and activated T lymphocytes from mice carrying the H-2b, H-2d, H-2q, H-2p, H-2r and H-2u haplotypes but not from mice carrying the H-2s or H-2f haplotypes (PMID: 6170707). This antibody recognizes both I-A and I-E subregion-encoded Ia glycoproteins (I-Ab, I-Ad, I-Aq, I-Ed, I-Ek, not I-Af, I-Ak, or I-As). M5/114 mAb is reported to inhibit I-A subregion-restricted T cell responses of the H-2b, H-2d, H-2q, H-2u but not the H-2f, H-2k, H-2s haplotypes (PMID: 6173436).

## Notable Publications

Author	Pubmed ID	Journal	Application
Chuyu Xi	38201837	Nutrients	FC

## Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

Phosphate based buffer with 0.09% sodium azide and 0.1% gelatin, pH 7.2.

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10<sup>6</sup> BALB/c mouse splenocytes were surface stained with CoraLite® 488 Anti-Mouse CD3 (CL488-65077, Clone: 17A2) and 0.06 ug APC-rat IgG2b isotype control (left) or 0.06 ug APC Anti-Mouse MHC Class II (I-A/I-E) (APC-65122, Clone:M5/114.15.2). Cells were not fixed.