For Research Use Only

## Biotin Anti-Human CD8 (SK1) Mouse IgG2a Recombinant Antibody

Catalog Number:Biotin-65630





Basic Information	Catalog Number: Biotin-65630	GenBank Accession Number: BC025715	Purification Method: Protein A purification
	Size: 100ug, 500 µg/ml	Genel D (NCBI): 925	CloneNo.: SK1
	Source: Mouse	ENSEMBL Gene ID: ENSG00000153563	
	Isotype: IgG2a	Full Name: CD8a molecule	
		Calculated MW: 235 aa, 26 kDa	
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Information	CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8 $\alpha$ or as a heterodimer of CD8 $\alpha$ and CD8 $\beta$ (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8 $\alpha$ $\beta$ heterodimer while CD8 $\alpha$ $\alpha$ homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) $\gamma$ $\delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).		
Storage	Storage: Store at 2-8°C. Avoid exposure to ligh Storage Buffer: PBS with 0.09% sodium azide.	nt. Stable for one year after shipment.	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





1x10^6 human PBMCs were surface stained with 0.25 ug Biotin Anti-Human CD8 (SK1) Mouse IgG2a RecAb (Biotin-65630, Clone: SK1), or unstained. Cells were co-stained with APC Anti-Human CD3 (OKT3) Mouse IgG2a Recombinant Antibody (APC-65569, Clone: OKT3). Cells were not fixed. Lymphocytes were gated.

1x10^6 human PBMCs were surface stained with 0.25 ug Biotin Anti-Human CD8 (SK1) Mouse IgG2a RecAb (Biotin-65630, Clone: SK1) (red), or unstained (blue). Cells were not fixed. Lymphocytes were gated.