

For Research Use Only

# FcZero-rAb™ Biotin Anti-Human CD19 (4G7) Rabbit IgG Recombinant Antibody

Catalog Number: Biotin-FcA65562



## Basic Information

Catalog Number:

Biotin-FcA65562

Concentration:

100ug, 500 ug/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

BC006338

GeneID (NCBI):

930

ENSEMBL Gene ID:

ENSG00000177455

UNIPROT ID:

P15391

Full Name:

CD19 molecule

Calculated MW:

556 aa, 61 kDa

Purification Method:

Protein A purification

CloneNo.:

4G7

Recommended Dilutions:

FC: 5 ul per 10<sup>6</sup> cells in a 100 µl suspension

Excitation/Emission maxima wavelengths:

-

## Applications

Tested Applications:

FC, ELISA

Species Specificity:

human

Positive Controls:

FC : human PBMCs,

## Background Information

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

## Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1x10<sup>6</sup> human PBMCs were surface stained with 0.25 µg Biotin Anti-Human CD19 (4G7) Rabbit IgG, RecAb (Biotin-FcA65562, Clone: 4G7) or FcZero-RAb<sup>TM</sup> Biotin Rabbit IgG Isotype Control Recombinant Antibody (Biotin-FcA98136, Clone: 240953C9), and Streptavidin-PE Conjugate (PE-PF00030). Cells were co-stained with FcZero-RAb<sup>TM</sup> APC Anti-Human CD3 (UCHT1) Rabbit IgG Recombinant Antibody (APC-FcA65570, Clone: UCHT1). Cells were not fixed.



1x10<sup>6</sup> human PBMCs were surface stained with 0.25  $\mu$ g Biotin Anti-Human CD19 (4G7) Rabbit IgG RecAb (Biotin-FcA65562, Clone: 4G7) (red) or FcZero-rAb™ Biotin Rabbit IgG Isotype Control Recombinant Antibody (Biotin-FcA98136, Clone: 2A0953C9) (blue), and Streptavidin-PE Conjugate (PE-PF00030). Cells were not fixed.