For Research Use Only

CoraLite® Plus 405 Anti-Human IL-12 (1E12H6)

Antibodies | ELISA kits | Proteins WWW.ptglab.com


Catalog Number: CL405-65277

Basic Information	Catalog Number: CL405-65277	GenBank Accession Number: BC104982	Purification Method: Affinity purification
	Size: 100ug, 0.2 mg/mL	GenelD (NCBI): 3592	CloneNo.: 1E12H6
	Source: Mouse	Full Name: interleukin 12A (natural killer cell stimulatory factor 1, cytotoxic lymphocyte maturation factor 1, p35) Calculated MW: 25 kDa	Excitation/Emission maxima wavelengths: 399 nm / 422 nm)
	Isotype: IgG1 Immunogen Catalog Number: HZ-1256		
Species Specificity: Human			
Background Information	IL-12 is a heterodimeric cytokine composed of two glycosylated and disulfide-linked subunits (p40 cysteine-linked to p35). IL-12 is a potent regulator of cell mediated immune responses and it induces IFN-gamma production by NK and T cells. It is produced by activated monocytes/macrophage cells, B lymphocytes, and connective tissue type mast cells (PMID: 24821971; 7612223).		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.		


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^{^6} LPS and Brefeldin A treated human PBMCs were surface stained with Anti-human CL555 HLA-DR then intracellularly stained with 0.2 ug Coralite® Plus 405 Anti-Human IL-12 (CL405-65277, Clone:1E12H6) or Mouse IgG1 Isotype Control. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). Monocytes were gated.



۰

Ŧ

1X10^6 LPS and Brefeldin A treated human PBMCs were intracellularly stained with 0.2 ug CoraLite® Plus 405 Anti-Human IL-12 (CL405-65277, Clone:1E12H6) (red) or Mouse IgG1 Isotype Control (blue), or unactivated and Brefeldin A treated human PBMCs were intracellularly stained with 0.2 ug CoraLite® Plus 405 Anti-Human IL-12 (CL405-65277, Clone:1E12H6) (black, dashed line). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit