For Research Use Only

CoraLite® Plus 488-conjugated FUS/TLS Monoclonal antibody



Purification Method:

CloneNo.:

IF 1:50-1:500

wavelengths: 493 nm / 522 nm

1B4F8

Protein G purification

Recommended Dilutions:

Excitation/Emission maxima

Catalog Number: CL488-68262

Basic Information

Catalog Number: CL488-68262

1000 µg/ml Source: Mouse Isotype:

Immunogen Catalog Number:

AG2150

lgG1

Observed MW: 68-75 kDa

GenBank Accession Number:

BC026062 GeneID (NCBI):

UNIPROT ID: P35637 Full Name:

fusion (involved in t(12;16) in malignant liposarcoma)

Calculated MW: 75 kDa

Positive Controls:

IF: mouse brain tissue,

Applications

FC (Intra), IF-P Species Specificity: Human, mouse, rat

Tested Applications:

Background Information

FUS (also named TLS and POMp75) belongs to the RRM TET family. FUS may play a role in the maintenance of genomic integrity; it binds both single-stranded and double-stranded DNA and promotes ATP-independent $annealing\ of\ complementary\ single-stranded\ DNAs\ and\ D-loop\ formation\ in\ superhelical\ double-stranded\ DNA.\ FUS$ is also an RNA-binding protein, and its links to neurodegenerative disease proffer the intriguing possibility that altered RNA metabolism or RNA processing may underlie or contribute to neuron degeneration[PMID: 22640227]. FUS may be a cause of angiomatoid fibrous histiocytoma (AFH) and is implicated in certain forms of amyotrophic lateral sclerosis (ALS) and frontotemporal dementias (FTDs) such as frontotemporal lobar dementia with ubiquitin inclusions (FTLD-U)(PMID: 22640227). Multiple phosphorylation on the N terminus of FUS caused that FUS was detected 68-75 kDa (PMID:24899704).


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using Coralite® Plus 488 FUS/TLS antibody (CL488-68262, Clone: 1B4F8) at dilution of 1:200.

Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using Coralite® Plus 488 FUS/TLS antibody (CL488-68262, Clone: 1B4F8) at dilution of 1:200.



1X10^6 K-562 cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human FUS/TL5 (CL488-68262, Clone:1B4F8) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).