For Research Use Only

## CoraLite® Plus 488-conjugated GAPDH Recombinant antibody

www.ptglab.com

**Purification Method:** 

Protein A purification

Recommended Dilutions:

Excitation/Emission maxima

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

CloneNo.:

1H18

Catalog Number: CL488-81640-5

**Basic Information** 

Catalog Number:

CL488-81640-5

1000 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG0766

GenBank Accession Number: BC004109

GeneID (NCBI):

**UNIPROT ID:** P04406 Full Name:

glyceraldehyde-3-phosphate

dehydrogenase Calculated MW:

Observed MW:

36 kDa

36 kDa

Positive Controls:

IF/ICC: HeLa cells,

**Applications** 

**Tested Applications:** 

Species Specificity: human, mouse, rat

## **Background Information**

Glyceraldehyde-3-phosphate dehydrogenase (GAPDH) catalyzes the phosphorylation of glyceraldehyde-3 $phosphate\ during\ glycolysis.\ GAPDH\ participates\ in\ nuclear\ events\ including\ transcription,\ binding\ RNA,\ RNA$ transportation, DNA replication, DNA repair and apoptosis. Being stably and constitutively expressed at high levels in most tissues and cells, GAPDH is considered a housekeeping protein. It is widely used as a control for RT-PCR and also loading control in electrophoresis and Western blotting. GAPDH is normally expressed in cellular cytoplasm or membrane, but can occasionally translocate to the nucleus after the addition of post-translational modifications  $such as S-nitrosylation. This antibody is \ raised \ against full \ length \ GAPDH \ of \ human \ origin. \ It \ can \ recognize \ the \ 36$ kDa GAPDH protein in most cells/tissues. In addition, a band below 36 kDa can always be detected as the isoform or spliced product of GAPDH (PMID: 23885286, 23877755, 19368702). Please note that some physiological factors, such as hypoxia and diabetes, increase GAPDH expression in certain cell types.


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using CoraLite® Plus 488 GAPDH antibody (CL488-81640-5, Clone: 1H18) at dilution of 1:200.