For Research Use Only

CoraLite® Plus 488-conjugated PARK7/DJ-1 Recombinant antibody

Catalog Number: CL488-82913-2



Basic Information

Catalog Number:

CL488-82913-2

1000 µg/ml Source: Rabbit

Isotype:

Immunogen Catalog Number:

AG2287

Tested Applications:

Species Specificity:

human, mouse, rat

GenBank Accession Number:

BC008188 GeneID (NCBI): 11315 **UNIPROT ID:** Q99497

Parkinson disease (autosomal recessive, early onset) 7

Calculated MW: 189 aa, 20 kDa Observed MW:

25 kDa

Full Name:

Purification Method:

Protein A purification

CloneNo.: 230124B7

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Applications

Positive Controls:

IF/ICC: HepG2 cells,

Background Information

PARK7, also named as DJ1, belongs to the peptidase C56 family. It protects cells against oxidative stress and cell $death. \ PARK7\ plays\ a\ role\ in\ regulating\ expression\ or\ stability\ of\ the\ mitochondrial\ uncoupling\ proteins\ SLC25A14$ and SLC25A27 in dopaminergic neurons of the substantia nigra pars compacta and attenuates the oxidative stress induced by calcium entry into the neurons via L-type channels during pacemaking. It eliminates hydrogen peroxide and protects cells against hydrogen peroxide-induced cell death. PARK7 has cell-growth promoting activity and transforming activity. It may function as a redox-sensitive chaperone. It's precursor undergoes a cleavage of a Cterminal peptide and subsequent activation of protease activity in response to oxidative stress. The amino acid replace at 166 (L → P) reduces PARK7 protein stability and leads to increased degradation. The predicted MW of this protein is 20 kDa, An additional 25 kDa band can be observed due to modification (PMID: 31767755).


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using Coralite® Plus 488 PARK7/DJ-1 antibody (CL488-82913-2, Clone: 230124B7) at dilution of 1:200, CL594-Phalloidin (red).