For Research Use Only

CoraLite® Plus 488-conjugated CD28 Recombinant antibody



Catalog Number: CL488-83383-6

Basic Information

Catalog Number:

CL488-83383-6

1000 µg/ml Source:

Rabbit Isotype:

GenBank Accession Number:

BC093698 GeneID (NCBI):

ENSEMBL Gene ID: ENSG00000178562

UNIPROT ID: P10747

Full Name: CD28 molecule Calculated MW:

220 aa, 25 kDa

Purification Method: Protein A purification

CloneNo.: 240354D2

Recommended Dilutions: IF/ICC 1:200-1:800

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Applications

Tested Applications:

IF/ICC

Species Specificity:

human

Positive Controls:

IF/ICC: Jurkat cells,

Background Information

CD28 (T-cell-specific surface glycoprotein CD28), also known as T44 and Tp44, is a 44 kD disulfide-linked homodimeric type I glycoprotein (PMID: 2162180). It is a member of the immunoglobulin superfamily and is expressed on most T lineage cells, NK cell subsets, and plasma cells (PMID: 2162180, 8386518). CD28 may affect in vivo immune responses by functioning both as a cell adhesion molecule linking B and T lymphocytes and as the surface component of a novel signal transduction pathway (PMID: 2162180, 3021470). CD28 binds both CD80 and CD86 with a highly conserved motif MYPPY in the CDR3-like loop (PMID: 15696168, 7964482). CD28 is considered a major co-stimulatory molecule, inducing T lymphocyte activation and IL-2 synthesis, and preventing cell death (PMID: 1348520).

Storage

Storage:


Store at -20°C. Avoid exposure to light.

Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed Jurkat cells using Coralite® Plus 488 CD28 antibody (CL488-83383-6, Clone: 240354D2) at dilution of 1:400.