For Research Use Only

## CoraLite® Plus 488-conjugated Dystrophin Recombinant antibody

Catalog Number: CL488-83609-5



**Basic Information** 

Catalog Number:

GenBank Accession Number: BC028720

**Purification Method:** Protein A purification

CL488-83609-5

GeneID (NCBI):

1000 µg/ml

CloneNo.:

1756

240567A3

Source: Rabbit

**UNIPROT ID:** P11532

Recommended Dilutions: IF/ICC 1:50-1:500

Isotype:

Full Name:

Excitation/Emission maxima

dystrophin

wavelengths:

Immunogen Catalog Number:

Calculated MW: 3685 aa, 427 kDa 493 nm / 522 nm

AG3408

Observed MW:

430 kDa, 70 kDa

**Applications** 

**Tested Applications:** 

IF/ICC

Positive Controls:

Species Specificity:

human

IF/ICC: HepG2 cells,

## **Background Information**

Dystrophin (DMD or BMD) is a large muscle protein whose mutations cause Duchenne muscular dystrophy (DMD) and Becker muscular dystrophy (BMD), the childhood neuromuscular disorders that result in progressive muscle weakness, respiratory difficulties and cardiovascular dysfunction. Dystrophin is a crucial component of the dystrophin-glycoprotein complex which is essential for muscle membrane integrity and stability. Dystrophin is located on the cytoplasmic face of the sarcolemma and connects the cytoskeletal network to the sarcolemma and extracellular matrix. Multiple isoforms of dystrophin exist due to the alternative splicing, with a wide range of MW (69-72, 110-143, 271, 426 kDa). Most tissues contain transcripts of several isoforms.

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 Dystrophin antibody (CL488-83609-5, Clone: 240567A3) at dilution of 1:200.