For Research Use Only

CoraLite® Plus 488-conjugated TOP2B Recombinant antibody

Catalog Number: CL488-84049



Purification Method:

Basic Information

Catalog Number: GenBank Accession Number: CL488-84049 NM_001068

NM_001068 Protein A purification
Genel D (NCBI): CloneNo.:

1000 μ g/ml 7155 240949F10 Source: UNIPROT ID: Recommended Dilutions: Rabbit Q02880 IF/ICC 1:50-1:500

Isotype: Full Name: Excitation/Emission maxima

gG topoisomerase (DNA) II beta 180kDa wavelengths:

493 nm / 522 nm

180 kDa

Calculated MW: 183 kDa Observed MW:

Applications

Tested Applications:

Positive Controls:

IF/ICC
Species Specificity:

human

Size:

Background Information

TOP2B belongs to the type II topoisomerase family. TOP2B control topological states of DNA by transient breakage and subsequent rejoining of DNA strands. TOP2B makes double-strand breaks. It is indirectly ivolved in vitamin D-coupled transcription regulation via its association with the WINAC complex, a chromatin-remodeling complex recruited by vitamin D receptor (VDR), which is required for the ligand-bound VDR-mediated transrepression of the CYP27B1 gene.

IF/ICC: HepG2 cells,

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 TOP2B antibody (CL488-84049, Clone: 240949F10) at dilution of 1:200, CL594-Phalloidin (red).