CoraLite®555-conjugated Cytokeratin 19 Monoclonal antibody




Catalog Number:CL555-60187 Featured Product


Basic Information	Catalog Number: CL555-60187	GenBank Accession Number: BC002539	Purification Method: Protein A purification	
	Size: 1000 µg/ml	GeneID (NCBI): 3880	CloneNo.: 3G1E4	
	Source: Mouse	UNIPROT ID: P08727	Recommended Dilutions: IF 1:50-1:500	
	lsotype: IgG2b	Full Name: keratin 19	Excitation/Emission maxima wavelengths: 557 nm / 570nm	
	Immunogen Catalog Number: AG7407	Calculated MW: 44 kDa Observed MW: 48 kDa		
				Applications
FC (Intra), IF-P IF : hur Species Specificity: cancer human IF : hur		nan breast cancer tissue, human oesophagus tissue		
Background Information	The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells. KRT19, one of type I keratins, is specifically expressed in the periderm, the transiently superficial layer that envelopes the developing epidermis. Due to its high sensitivity, KRT19 is the most used marker for detection of tumor cells disseminated in lymph nodes, peripheral blood, and bone marrow of breast cancer patients.			
Storage	Storage: Store at -20°C. Avoid exposure to Storage Buffer: PBS with 50% Glycerol, 0.05% Pro	0		

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed human breast cancer tissue using Coralite®555 Cytokeratin 19 antibody (CL555-60187, Clone: 3G1E4) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed human breast cancer tissue using Coralite®555 Cytokeratin 19 antibody (CL555-60187, Clone: 3G1E4) at dilution of 1:200.

1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite®555 Anti-Human Cytokeratin 19 (CL555-60187, Clone:3G1E4) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).