For Research Use Only

CoraLite®555 Anti-Mouse CD107a / LAMP1 (1D4B)

Catalog Number: CL555-65050

Basic Information	Catalog Number: CL555-65050	GenBank Accession Number: BC006785	Purification Method: Affinity purification	
	Size: 100ug, 500 µg/ml	GeneID (NCBI): 16783	CloneNo.: 1D4B	
	Source: Rat	UNIPROT ID: P11438	Recommended Dilutions: IF 1:50-1:500	
	Isotype: IgG2a, kappa	Full Name: lysosomal-associated membrane protein 1	Excitation/Emission maxima wavelengths: 557 nm / 570 nm	
Applications	Tested Applications: FC (Intra), IF/ICC Species Specificity: Mouse		Positive Controls: IF : NIH/3T3 cells,	
Background Information	LAMP1 (CD107a) is a heavily glycosylated membrane protein enriched in the lysosomal membrane. LAMP1 is extensively glycosylated with asparagine-linked oligosaccharides which protect it from intracellular proteolysis (PMID: 10521503). Although LAMP1 is expressed largely in the endosome-lysosomal membrane of cells, it is also found on the plasma membrane (PMID: 16168398). Elevated LAMP1 expression at the cell surface has also been detected during platelet and granulocytic cell activation, as well as in some tumor cells (PMID: 29085473). LAMP1 functions to provide selectins with carbohydrate ligands. This protein has also been shown to be a marker of degranulation on lymphocytes such as CD8+ and NK cells and may also play a role in tumor cell differentiation and metastasis (PMID: 18835598; 29085473; 9426697).			
Storage	Storage: Stora at 2-8°C. Avoid expose Storage Buffer:	rre to light. Stable for one year after shipment		

PBS with 0.1% sodium azide and 0.5% BSA, pH 7.3.


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Antibodies | ELISA kits | Proteins

www.ptglab.com


Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed NIH/373 cells using CoraLite®555 CD107a antibody (CL555-65050, Clone: 1D4B) at dilution of 1:100.



Immunofluorescent analysis of (-20°C Ethanol) fixed NIH/3T3 cells using CoraLite®555 CD107a antibody (CL555-65050, Clone: 1D4B) at dilution of 1:100.



1x10^6 NIH/3T3 cells were intracellularly stained with 0.5 ug CoraLite®555 Anti-Mouse CD107a / LAMP1 (CL555-65050, Clone:1D4B) (red), or 0.5 ug CoraLite® Plus 555 Rat IgG2a Isotype Control (2A3) (CL555-65209, Clone: 2A3) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).