

For Research Use Only

CoraLite®594 Anti-Human CD68 (KP1)

Catalog Number:CL594-65202



Basic Information

Catalog Number:

CL594-65202

Size:

100tests, 5 ul/test

Source:

Mouse

Isotype:

IgG1, kappa

GenBank Accession Number:

BC015557

GeneID (NCBI):

968

UNIPROT ID:

P34810

Full Name:

CD68 molecule

Calculated MW:

37 kDa

Purification Method:

Protein G purification

CloneNo.:

KP1

Excitation/Emission maxima
wavelengths:

588 nm / 604 nm

Applications

Tested Applications:

FC (Intra)

Species Specificity:

human

Background Information

CD68 is a type I transmembrane glycoprotein that is highly expressed by human monocytes and tissue macrophages. It belongs to the lysosomal/endosomal-associated membrane glycoprotein (LAMP) family and primarily localizes to lysosomes and endosomes with a smaller fraction circulating to the cell surface. CD68 is also a member of the scavenger receptor family. It may play a role in phagocytic activities of tissue macrophages.

Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.1% sodium azide and 0.5% BSA, pH 7.3.

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ human PBMCs were intracellularly stained with 5 ul CoraLite® 594 Anti-Human CD68 (CL594-65202, Clone:KP1) or CoraLite® 594 Mouse IgG1 Isotype Control (CL594-65124, Clone: MOPC-21). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011) prior to staining. Monocytes were gated.



1x10⁶ human PBMCs were intracellularly stained with 5 ul CoraLite® 594 Anti-Human CD68 (CL594-65202, Clone:KP1) or CoraLite® 594 Mouse IgG1 Isotype Control (CL594-65124, Clone: MOPC-21). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011) prior to staining. Monocytes were gated.