

For Research Use Only

# CoraLite®594 Anti-Human CD8 (UCHT4)

Catalog Number:CL594-65204



## Basic Information

**Catalog Number:**

CL594-65204

**Size:**

100tests, 5 ul/test

**Source:**

Mouse

**Isotype:**

IgG2a

**GenBank Accession Number:**

BC025715

**GeneID (NCBI):**

925

**ENSEMBL Gene ID:**

ENSG00000153563

**UNIPROT ID:**

P01732

**Full Name:**

CD8a molecule

**Calculated MW:**

235 aa, 26 kDa

**Purification Method:**

Protein A purification

**CloneNo.:**

UCHT4

**Excitation/Emission maxima wavelengths:**

588 nm / 604 nm

## Applications

**Tested Applications:**

FC

**Species Specificity:**

human

## Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8 $\alpha$  or as a heterodimer of CD8 $\alpha$  and CD8 $\beta$  (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8 $\alpha$  $\beta$  heterodimer while CD8 $\alpha$  $\alpha$  homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR)  $\gamma$  $\delta$  T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+ T cells (PMID: 1968084).

## Storage

**Storage:**

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

**Storage Buffer:**

PBS with 0.09% sodium azide and 0.5% BSA.

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Selected Validation Data



$1 \times 10^6$  human PBMCs were surface stained with CL750 Anti-Human CD3 (CL750-65151) and 5  $\mu$ l CoraLite®594 Anti-Human CD8 (CL594-65204, Clone:UCHT4) or CoraLite®594 Mouse IgG2a Isotype Control (CL594-65208). Cells were not fixed. Lymphocytes were gated.



$1 \times 10^6$  human PBMCs were surface stained with 5  $\mu$ l CoraLite®594 Anti-Human CD8 (CL594-65204, Clone:UCHT4) or CoraLite®594 Mouse IgG2a Isotype Control (CL594-65208). Cells were not fixed. Lymphocytes were gated.