For Research Use Only

CoraLite® Plus 750 Anti-Rat CD8a (OX-8)



Catalog Number: CL750-65180

Basic Information

Catalog Number: CL750-65180 GenBank Accession Number:

Purification Method: Purified by protein-A affinity

Size:

GeneID (NCBI):

chromatography

100ug, 0.5 mg/ml

24930

BC088126

CloneNo.: OX-8

Source: Mouse UNIPROT ID: P07725

Excitation/Emission maxima

Isotype: IgG1, kappa Full Name: CD8a molecule wavelengths: 755 nm / 780 nm

Applications

Tested Applications:

FC

Species Specificity:

Rat

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8 α or as a heterodimer of CD8 α and CD8 β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8 α β heterodimer while CD8 α α homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) γ δ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).

Storage


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data



1X10^6 Wistar rat splenocytes were surface stained with 0.5 ug CoraLite® Plus 750 Anti-Rat CD8a (CL750-65180, Clone: OX-8) or 0.5 ug Control Antibody. Cells were not fixed.