For Research Use Only

CoraLite® Plus 750 Anti-Human CD155/PVR (SKII.4)

Catalog Number: CL750-65251



Basic Information

Catalog Number: CL750-65251 Concentration:

100tests, 5 ul/test Source: Mouse Isotype:

IgG1, kappa

GenBank Accession Number: BC015542

GeneID (NCBI): 5817 UNIPROT ID: P15151 Full Name: poliovirus receptor Calculated MW: 45 kDa Purification Method:

CloneNo.: SKII.4

Recommended Dilutions: FC: 5 ul per 10^6 cells in 100 $\,\mu$ l

suspension

Excitation/Emission maxima

wavelengths: 755 nm / 780 nm

Applications

Tested Applications:

Species Specificity:

human

Positive Controls:

FC: U-937 cells,

Background Information

CD155, also known as PVR, is a type I transmembrane glycoprotein in the immunoglobulin superfamily. It contains three extracellular immunoglobulin-like domains, D1-D3, of which D1 is recognized by the virus. Mature human CD155 consists of a 323 amino acid extracellular domain with one N-terminal V-type and two C2-type Ig-like domains, a 24 amino acid transmembrane segment, and a 50 amino acid cytoplasmic tail. CD155 is thought to play a role in adhesion by interaction with the ECM component vitronectin as well as a role in NK killing of tumor cells. CD155 binds to two receptors of NK cells, CD96 and CD226, and accumulates at cell-cell contact sites, leading to the formation of mature immune synapses between NK cells and target cells. CD155 serves as the entry receptor for poliovirus and thereby mediates human susceptibility to poliovirus infection.

Storage


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer


PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



CL750-65251 CD155/PVR (SKII.4)

U-937 cells (positive) and Jurkat cells (negative) were mixed 1:1 and 1x10^6 cells were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD155/PVR (CL750-65525, Clone: SKII.4) (red) or CoraLite® Plus 750 Mouse IgG1 Isotype Control (CL750-65124, Clone: MOPC-21) (blue). Cells were not fixed.



U-937 cells (positive) and Jurkat cells (negative) were mixed 1:1 and 1x10^6 cells were surface stained with 5 ul Coralite® Plus 750 Anti-Human CD155/PVR (CL750-65251, Clone: SKII.4) or Coralite® Plus 750 Mouse IgG1 Isotype Control (CL750-65124, Clone: MOPC-21). Cells were not fixed.