For Research Use Only

Recombinant Mouse CD19 protein (His Tag)



www.ptgcn.com

Catalog Number: Eg0907

Basic Information

ED50:

Species:

Purity: >80 %, SDS-PAGE

GeneID: 12478

Accession: P25918

Technical Specifications

Purity: >80 %, SDS-PAGE

Endotoxin Level:

<1.0 EU/ µg protein, LAL method

HEK293-derived Mouse CD19 protein Arg19-Gly287 (Accession# P25918) with a His tag at the C-terminus.

Predicted Molecular Mass:

30.4 kDa

SDS-PAGE:

42-55 kDa, reducing (R) conditions

Lyophilized from sterile PBS, pH 7.4. Normally 5% trehalose and 5% mannitol are added as protectants before

lyophilization.

Biological Activity

Not tested

Storage and Shipping

Storage:

It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Until expiry date, -20°C to -80°C as lyophilized proteins.
3 months, -20°C to -80°C under sterile conditions after reconstitution.

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature.

Reconstitution

Briefly centrifuge the tube before opening. Reconstitute at 0.1-0.5 mg/mL in sterile water.

Background

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily. It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells. CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction.

References


1.Tedder TF. et al. (1989) J Immunol. 143(2):712-7.

2.Scheuermann RH. et al. (1995) Leuk Lymphoma. 18(5-6):385-97. 3.Wang K. et al. (2012) Exp Hematol Oncol. 1(1):36.

Synonyms

CD19,CD19 antigen

Selected Validation Data



Purity of Recombinant Mouse CD19 was determined by SDS-PAGE. The protein was resolved in an SDS-PAGE in reducing (R) conditions and stained using Coomassie blue.