For Research Use Only

FITC Plus Anti-Human PD-L1 (B7-H1) (29E.2A3)



Catalog Number: FITC-65081

Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method: Affinity purification

FITC-65081 Size: BC069381 GeneID (NCBI):

CloneNo.:

100tests, 5 μl/test

29126

29E.2A3

Source:

UNIPROT ID:

Excitation/Emission maxima

Mouse

Q9NZQ7
Full Name:

wavelengths: 495 nm / 524 nm

Isotype: IgG2b, kappa

CD274 molecule

Applications

Tested Applications:

FC

Species Specificity:

Human

Background Information

Programmed cell death ligand 1 (PD-L1, CD274, or B7-H1), is the first member of B7 family to be discovered. B7 family molecules are type I transmembrane proteins belonging to the immunoglobulin superfamily. In concert with their CD28 family receptors, the B7s are key regulators of the adaptive immune response. PD-L1 is suggested as a negative regulator of T and B cell, and plays important role in mediating tolerance of lymphocytes to self-antigens. It is also involved in the costimulatory signal, essential for T-cell proliferation and production of IL10 and IFNG, in an IL2-dependent and a PD-1-independent manner.

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1x10^6 PHA treated (3 days) human PBMCs were surface stained with 5 ul FITC Plus Anti-Human PD-L1 (B7-H1) (FITC-65081, Clone:29E.2A3) (red) or FITC Plus Mouse IgG2b Isotype Control (blue). 1x10^6 untreated human PBMCs were surface stained with 5 ul FITC Plus Anti-Human PD-L1 (B7-H1) (FITC-65081, Clone:29E.2A3) (black dashed). Cells were not fixed. Cells were treated with FC Receptor Block prior to staining. Lymphocytes were gated.



1x10^6 PHA treated (3 days) human PBMCs were surface stained with CL750 Anti-Human CD3 and 5 ul FITC Plus Anti-Human PD-L1 (B7-H1) (FITC-65081, Clone:29E.2A3) (right) or FITC Plus Mouse IgG2b Isotype Control (left). 1x10^6 untreated human PBMCs were surface stained with 5 ul FITC Plus Anti-Human PD-L1 (B7-H1) (FITC-65081, Clone:29E.2A3) (center). Cells were not fixed. Cells were treated with FC Receptor Block prior to staining. Lymphocytes were gated.