

For Research Use Only

FITC Plus Anti-Mouse PD-1/CD279 (RMP1-30)



Catalog Number: FITC-65142

Basic Information

Catalog Number:

FITC-65142

Size:

100ug, 500 µg/ml

Source:

Rat

Isotype:

IgG2b, kappa

GenBank Accession Number:

BC119179

GeneID (NCBI):

18566

UNIPROT ID:

Q02242

Full Name:

programmed cell death 1

Purification Method:

Protein A purification

CloneNo.:

RMP1-30

Excitation/Emission maxima
wavelengths:

495 nm / 524 nm

Applications

Tested Applications:

FC

Species Specificity:

Mouse

Background Information

Programmed cell death 1 (PD-1, also known as CD279) is an immunoinhibitory receptor that belongs to the CD28/CTLA-4 subfamily of the Ig superfamily. It is a 288 amino acid (aa) type I transmembrane protein composed of one Ig superfamily domain, a stalk, a transmembrane domain, and an intracellular domain containing an immunoreceptor tyrosine-based inhibitory motif (ITIM) as well as an immunoreceptor tyrosine-based switch motif (ITSM) (PMID: 18173375). PD-1 is expressed during thymic development and is induced in a variety of hematopoietic cells in the periphery by antigen receptor signaling and cytokines (PMID: 20636820). Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function (PMID: 19426218). It is critical for the regulation of T cell function during immunity and tolerance. Blockade of PD-1 can overcome immune resistance and also has been shown to have antitumor activity (PMID: 22658127; 23169436).

Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide.

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10⁶ Con-A stimulated BALB/c mouse splenocytes were surface stained with 0.5 ug FITC Plus Anti-Mouse PD-1/CD279 (FITC-65142, Clone: RMP1-30) or isotype control antibody. Cells were not fixed.