For Research Use Only

## FITC Plus Anti-Mouse CD155/PVR Rabbit Recombinant Antibody

Catalog Number: FITC-98077



**Basic Information** 

Catalog Number: GenBank Accession Number: FITC-98077 NM\_027514.2

GeneID (NCBI): Concentration: 100ug, 500 ug/ml 52118 **UNIPROT ID:** Source:

Rabbit Q8K094 Full Name: Isotype: poliovirus receptor

Calculated MW: Immunogen Catalog Number: EG0903

45 kDa

240731B1 Excitation/Emission maxima

> wavelengths: 495 nm / 524 nm

CloneNo.:

**Purification Method:** 

Protein A purification

**Applications** 

**Tested Applications:** 

Species Specificity:

mouse

## **Background Information**

CD155, also known as the poliovirus receptor (PVR) or Necl-5, is one of the nectin-like family members, belonging to the Ca2+ independent immunoglobulin superfamily (IgSF) in cell adhesion molecules (PMD: 37660884). CD155 is a type I transmembrane protein composed of three extracellular immunoglobulin-like domains, a transmembrane domain, and a cytoplasmic tail. It is involved in cell-to-cell and cell-to-ECM adhesion (PMID: 32019260; 11437656).  ${\tt CD155\,acts\,as\,a\,ligand\,for\,immune\,receptors,\,including\,TIGIT,\,CD96\,and\,CD226,\,which\,are\,expressed\,on\,T\,cells\,and\,CD226,\,which\,are\,expressed\,on\,T\,cells\,and\,CD226,\,which\,are\,expressed\,on\,CD226,\,which\,are\,expressed$ NK cells. CD155 interacts with these receptors to modulate immune responses, such as T cell activation and NK cellmediated cytotoxicity (PMID: 37660884). CD155 serves as the entry receptor for poliovirus and thereby mediates susceptibility to poliovirus infection (PMID: 15034010).


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide, pH7.3

## Selected Validation Data



1x10^6 mouse thymocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse CD155/PVR Rabbit RecAb (FITC-98077, Clone: 240731B1) or 0.25 ug FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9). Cells were not fixed.



1x10^6 mouse thymocytes were surface stained with 0.25 ug FITC Plus Anti-Mouse CD155/PVR Rabbit RecAb (FITC-98077, Clone: 240731B1) (red) or 0.25 ug FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). Cells were not fixed.