## For Research Use Only

## HRP-conjugated Beta Actin Recombinant antibody

Catalog Number:HRP-81115




Basic Information	Catalog Number: HRP-81115	GenBank Accession Number: BC002409	Purification Method: Protein A purification		
	Size: 1000 µg/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG14521	GeneID (NCBI): 60 UNIPROT ID: P60709 Full Name: actin, beta	CloneNo.: 4H1 Recommended Dilutions: WB 1:2000-1:16000		
				Calculated MW: 375 aa, 42 kDa	
				Observed MW: 42 kDa	
		Applications		Tested Applications:	Positive Controls:
			WB WB : HeLa cells, rat brain tissue, mouse brain tissue   Species Specificity: human, mouse, rat, pig		
Background Information	Beta Actin, also named as ACTB and F-Actin, belongs to the actin family. Actins are highly conserved globular proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells. At least six isoforms of actins are known in mammals and other vertebrates: alpha (ACTC1, cardiac muscle 1), alpha 1 (ACTA1, skeletal muscle) and 2 (ACTA2, aortic smooth muscle), beta (ACTB), gamma 1 (ACTG1) and 2 (ACTG2, enteric smooth muscle). Beta and gamma 1 are two non-muscle actin proteins. Most actins consist of 376aa, while ACTG2 (rich in muscles) has 375aa and ACTG1(found in non-muscle cells) has only 374aa. Beta actin has been widely used as the internal control in RT-PCR and Western Blotting as a 42-kDa protein. However, the 37-40, 31, 15 kDa cleaved fragment of beta actin can be generated during apoptosis process. This antibody was generated against N-terminal region of human beta actin protein and can cross-react with other actins. (9173887, 11217076, 10229193)				
Storage	Storage: Store at -20°C. Avoid exposure to l Storage Buffer: PBS with 50% Glycerol, 0.05% Pro Aliquoting is unnecessary for -20°		ent.		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with HRP-81115 (Beta Actin antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.