

Source

Catalog Number: HZ-1145

Data Sheet

HumanKine® IL-10 (Recombinant Human)

Animal Component-Free Human cell expressed

Tag-Free

Human Embryonic Kidney cells (HEK293). HEK293-derived IL-10 protein

Endotoxin Free

 Product Description

 Animal-free Recombinant Human IL-10 is expressed in human 293 cells as a non-covalent homodimeric glycoprotein with an apparent molecular mass of 17 kDa. This cytokine is produced in a serum-free, chemically defined media. IL-10 is produced by a variety of mammalian cell types which includes T cells, B cells, macrophages, and keratinocytes monocytes. It is an anti-inflammatory cytokine with multiple, pleiotropic effects in inflammation and immunoregulation. Glycosylation contributes to stability in cell growth media and other applications. The cytokine is greater than 95% pure.

 Alternative Names
 CSIF, IL 10, IL10, IL10A, interleukin 10, TGIF

Specifications					
Test	Method	Specification			
Activity	Dose-dependent proliferation of the MC/9 (mouse mast cell) cell line	0.18-2.0 ng/mL EC50			
Molecular Mass	SDS-PAGE	19 kDa reduced, 17 kDa non-reduced, non-disulfide bonded homodimer, glycosylated			
Purity	SDS-PAGE	>95%			
Endotoxin	LAL	<1 EU/ µ g			

Activity Data	SDS-PAGE	
Recombinant IL-10 2.6 2.4 2.2 000000000000000000000000000000000000	Recombinant human IL-10 (HZ-1145) induces dose- dependent proliferation of the MC/9 (mouse mast cell) cell line. Cell number was quantitatively assessed by PrestoBlue® cell viability reagent. MC/9 cells were treated with increasing concentration of recombinant IL-10 for 48 hours. The EC50 was determined using a 4- parameter non-linear regression model. The EC50	kDa Reducing Non-Reducing 235 170 130 130 93 70 53 42 30 23 18 14 10 10 10

www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc. 5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com

Preparation				
Shipping Temperature	ambient temperature			
Formulation	10mM Tris-HCl pH 7.4 + 150mM NaCl, See Certificate of Analysis for details			
Reconstitution	Briefly centrifuge the vial before opening. It is recommended to reconstitute the protein in sterile 1xPBS pH 7.4 containing 0.1% endotoxin-free recombinant human serum albumin (HSA).			

	Product Form	Temperature Conditions	Storage Time (From Date of Receipt)
	Lyophilized	-20°C to -80°C	Until Expiry Date
Stability and Storage	Lyophilized	Room Temperature	2 weeks
	Reconstituted as per CofA	-20°C to -80°C	6 months
	Reconstituted as per CofA	4°C	1 week
	Avoid repeated freeze-thaw cycles.		

www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc. 5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com