

Catalog Number: HZ-1151

## **Data Sheet**





**Animal Component-Free** 

**Human cell expressed** 

Tag-Free


**Endotoxin Free** 

## **Product Description**


Animal-free Recombinant Human FLT3 Ligand is expressed from human 293 cells as a monomeric glycoprotein with an apparent molecular mass of 24 to 30 kDa. This cytokine is produced in a serum-free, chemically defined media. The molecular mass is a narrower range than reported when this cytokine is expressed in insect Sf21 cells (17 to 30 kDa), emphasizing the difference in glycosylation in different expression systems. FLT3 Ligand is a growth factor that regulates proliferation of early hematopoietic cells. FLT3 Ligand binds to cells expressing the tyrosine kinase receptor FLT3. FLT3 Ligand by itself does not stimulate proliferation of early hematopoietic cells, but synergizes with other CSFs and interleukins to induce growth and differentiation.

Alternative Names	FL, Flt3 ligand, Flt3L, FLT3LG, SL cytokine	
Source	Human Embryonic Kidney cells (HEK293). HEK293-derived FLT3 Ligand protein	

Specifications					
Test	Method	Specification			
Activity	Dose-dependent stimulation of the proliferation of the human acute myeloid leukemia cell line OCI-AML5	0.4-3.0 ng/mL EC50			
Molecular Mass	SDS-PAGE	27 to 34 kDa reduced, 23 to 30 kDa non-reduced, monomer, glycosylated			
Purity	SDS-PAGE	>95%			
Endotoxin	LAL	<1 EU/µg			



Recombinant human FLT3
(HZ-1151) Ligand stimulates
dose-dependent
proliferation of the human
acute myeloid leukemia cell
line (OCI-AML5). Viable cell
number was quantitatively
assessed by PrestoBlue®
Cell Viability Reagent. OCIAML5 cells were treated
with increasing
concentrations of
recombinant human FLT3
Ligand for 72 hours. The
EC50 was determined using



www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc.

5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com

Preparation				
Shipping Temperature				
Formulation	on 1x PBS, See Certificate of Analysis for details			
Reconstitution	Briefly centrifuge the vial before opening. It is recommended to reconstitute the protein in sterile water containing 0.1% endotoxin-free recombinant human serum albumin (HSA)			

	Product Form	Temperature Conditions	Storage Time (From Date of Receipt)
	Lyophilized	-20°C to -80°C	Until Expiry Date
Stability and Storage	Lyophilized	Room Temperature	2 weeks
	Reconstituted as per CofA	-20°C to -80°C	6 months
	Reconstituted as per CofA	4°C	1 week
		Avoid repeated freeze-thaw cycles.	

www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc.

5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com