

Safety Data Sheet according to Regulation (EU) 2020/878 (REACH)

Version: 2 Replaces version: 1 Revision date: 03.10.2024 from: 11.11.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier SNAP/CLIP-tag® -Trap Agarose (wta)

| 1.2. Relevant identified us Relevant identified uses: Uses advised against: | ses of the substance or mixtu Laboratory use Other: | re and uses advised against |
|---|--|--|
| 1.3. Details of the supplie Manufacturer ChromoTek GmbH | r of the safety data sheet | +49 89 124 148 810 |
| Fraunhoferstr. 1 D 82152 Planegg-M | Telefax: | +49 89 124 148 811 |
| Supplier ChromoTek GmbH | Talanhana | +40 90 124 149 910 |
| Fraunhoferstr. 1 D 82152 Planegg-M | Telefax: | +49 89 124 148 810 +49 89 124 148 811 |
| Information contact ChromoTek GmbH | Information telephone Information telefax E-mail (competent person) Website | +49 89 124 148 811 |
| 1.4. Emergency telephone Giftnotrufzentrale München | | +49 89 19 240 |
| SECTION 2: Hazards iden | ntification | |
| 2.1. Classification of the s Regulation (EC) No 1272/2008 Flam. Liq. 2, H225 | | |
| 2.2. Label elements Classification according to F Hazard pictograms | Regulation (EC) No 1272/2008 [CLP] | |
| GHS Signal word: Dan | | |
| Hazard statements: EN – 2023.04b | | Page 1 / 9 |

Safety Data Sheet according to Regulation (EU) 2020/878 SNAP/CLIP-tag® -Trap Agarose (wta)

| H225 | Highly flammable liquid and vapour. |
|---------------|--|
| Precautionary | v statements: |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground and bond container and receiving equipment. |
| P241 | Use explosion-proof [electrical/ventilating/lighting] equipment. |
| P242 | Use non-sparking tools. |
| P243 | Take action to prevent static discharges. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P303+361+35 | 3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. |
| P403+235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container. |

Special labelling of particular preparations:

none

2.3. Other hazards

Not known

SECTION 3: Composition / information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

SNAP/CLIP-tag® -Trap Agarose (wta) is a mixture with, among others, the following ingredients and other non-hazardous admixtures in aqueous solution

Composition/information on ingredients

| Substance: | CAS-No.: | REACH-no.: | Concentration: | Classification: EC 1272/2008 (CLP): | M, ATE, Note |
|------------|----------|-----------------------|----------------|--|--------------|
| Ethanol | 64-17-5 | 01-2119457610-43-0000 | 20 % | Flam. Liq. 2, H225 Eye Irrit. 2, H319 | M = 0 |

(Full text of H- and EUH-statements: see section 16.)

SECTION 4: First aid measures

4.1. Description of first aid measures

| General information: | In case of accident or unwellness, seek medical advice immediately |
|----------------------------|--|
| In case of inhalation: | No special measures are necessary. Consult an ophthalmologist. |
| Following skin contact: | In case of skin irritation, consult a physician. |
| After eye contact: | In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if problems persist. |
| After ingestion: | No special measures are necessary. Consult an ophthalmologist. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Nausea. vomiting. Danger Depression of the central nervous system. unconsciousness.

4.3. Indication of any immediate medical attention and special treatment needed Let water be drunken in little sips (dilution effect). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable

Water fog. alcohol resistant foam. dry extinguishing powder. Carbon dioxide extinguishing media (CO2). Unsuitable High power water jet. extinguishing media

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

General information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

Special protective equipment for fire-fighters:

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Remove all sources of ignition. Remove persons to safety. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Avoid generation of dust. Clear contaminated areas thoroughly. Wash with plenty of water.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin and eyes.

Precautions against fire and explosion: Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Hints on joint storage

Do not store together with: Oxidizing agents.

7.3. Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

occupational exposure limit value

| Substance: | CAS-No.: | | Source: | exposure limit | exposure limit | Limitation of exposure peaks: | Remark: |
|------------|----------|----|--------------------------------------|----------------|----------------|-------------------------------------|---------|
| Ethanol | 64-17-5 | EN | TRGS 900 | 500 | 960 | 2(II) | DFG, Y |
| | | EN | Gestis International Limit Values | 1000 | 1920 | | |

Substance with a common (EC) occupational exposure limit value.

| | | <u> </u> | | | | |
|------------|----------|----------|----------------|----------------------------|---------------|---------|
| Substance: | CAS-No.: | Source: | Occupational | Occupational | Limitation of | Remark: |
| | | | exposure limit | exposure limit | exposure | |
| | | | value:[ppm] | value:[mg/m ³] | peaks: | |

DNEL-/PNEC-values

| Substance: | CAS-No.: | DNEL/DMEL |
|------------|----------|-----------|
| | | |
| | | |

| PINEC Value | | |
|-------------|----------|------|
| Substance: | CAS-No.: | PNEC |
| | | |

Additional information

none

8.2. Exposure controls

Occupational exposure controls:

Technical measures and the application of suitable work processes have priority over personal protection equipment.

General protection and hygiene measures:

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Apply skin care products after work. Wash contaminated clothing prior to re-use.

Personal protection equipment

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

Respiratory protection necessary at: Formation of aerosol. gas filtering equipment (EN 141).

Hand protection

Tested protective gloves are to be worn: DIN-/EN-Norms: EN ISO 374 Suitable material: Butyl rubber. FKM (fluororubber).

Eye/face protection

Tightly sealed safety glasses.

Body protection:

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Only wear fitting, comfortable and clean protective clothing. Barrier creams are not substitutes for body protection.

Environmental exposure controls

refer to chapter 7. No further action is necessary.

Consumer exposure controls refer to chapter 7. No further action is necessary.

Exposure Scenario: none

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance Physical state: Colour: Odour: Odour threshold: | Suspension No data available No data available No data available | | | |
|---|---|-------|------|--|
| Safety relevant basis data Melting point/freezing point: Initial boiling point and boiling range: Flammability: Iower flammability or explosive limits: | parameter | Value | unit | Remark No data available No data available No data available not applicable |
| Upper flammability or explosive limits: Flash point: Ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Water solubility (g/L): Partition coefficient: n- octanol/water: Vapour pressure: Density: Relative density: Particle properties: | | ca 35 | °C | not applicable No data available not applicable No data available No data available No data available No data available No data available |

9.2. Other information

There are no data available on the mixture itself.

SECTION 10: Stability and reactivity

10.1. Reactivity

none

10.2. Chemical stability

With proper storage and handling the product is stable.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Heat. UV radiation/sunlight.

10.5. Incompatible materials

Oxidizing agent Reducing agent. Alkalis (alkalis). Alkali metals.

10.6. Hazardous decomposition products

Pyrolysis products, toxic. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes within the meaning of Regulation (EC) No. 1272/2008

Data apply to the main component.

| M-factor: | - | Acute toxicity (dermal): | - |
|------------------------|---|------------------------------|---|
| Acute toxicity (oral): | - | Acute toxicity (inhalative): | - |

Acute toxicity

| Substance: | CAS-No.: | Toxicological information |
|------------|----------|--|
| Ethanol | 64-17-5 | LD50 oral (rat) 7060 mg/kg |
| | | LC50 inhalation (rat, 4 h) 51 mg/L |
| | | LD50 dermal (rabbit) > 2000 mg/kg |
| | | NOAEL STOT-RE oral (rat, 90 days, liver) 1730 mg/kg kg/d |
| | | NOAEL STOT-RE inhalative (rat, 21 days) > 20 mg/L |

Skin corrosion/irritation:

slightly irritant but not relevant for classification.

Serious eye damage/irritation:

slightly irritant but not relevant for classification.

Respiratory or skin sensitisation:

No information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity: No indications of human carcinogenicity exist. Germ cell mutagenicity: No indications of human carcinogenicity exist. Reproductive toxicity: No indications of human reproductive toxicity exist.

STOT-single exposure:

No information available.

STOT-repeated exposure:

none

Aspiration hazard Not an irritant.

Not an imtant.

Additional information

none

11.2. Information about other hazards 11.2.1 Endocrine disrupting properties No information available. **11.2.2 Other Information** none

SECTION 12: Ecological information

12.1. Toxicity

The information about ecology refers to the main components.

Ecotoxicity

| Substance: | CAS-No.: | Ecotoxicity |
|------------|----------|--|
| Ethanol | 64-17-5 | LC50 (fish, 96 h) 11000 mg/l EC50 (Great Water flea, 48 h) 12340 mg/L |
| | | EC50 (algae, 72 h) 11,5 mg/l |

12.2. Persistence and degradability

Product is biodegradable.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6 Endocrine disruptive effect

No known endocrine disrupting properties

12.7. Other adverse effects

none

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal/Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

List of proposed waste codes / waste designations according to EWC / AVV

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

SECTION 14: Transport information

14.1. UN number UN No.:

1170

| 14.2. UN proper shipping name Land transport (ADR/RID) ETHANOL (ETHYLALKOHOL) oder ETHANOL, LÖSUNG (ETHYLALKOHOL, LÖSUNG) | | | | | | |
|--|--|----------------------------------|--|--------------|------------|----|
| | Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCO- HOL SOLUTION) | | | | | |
| 14 | .3. Transport hazard cla Hazard label(s) / Label: | ass(es) 3 | Classification co Code: | ode: / Class | ification | F1 |
| 14.4. Packing group Packing group/ Packing Group: | | | | | | |
| 14.5. Environmental hazards | | | | | | |
| | ADR/RID / IMDG / ICAO-TI / Marine pollutant: | IATA-DGR: | Yes | No X X | | |
| 14 | .6. Special precautions Land transport (ADR/RID) transport category: Special provisions: | for user 2 144, 601 | tunnel restriction Limited quantity | | D/E 1 L | |
| | Sea transport (IMDG) EmS-No: F-E, S-D Special provisions: | Limited q | uantity (LQ): 1 L | | | |
| 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Remark none | | | | | | |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).

none

Regulation (EC) No 2037/2000 concerning materials, which cause damage to the ozone layer. none

Regulation (EC) No. 648/2004 (Detergents regulation) none

National regulations

Observe in addition any national regulations!

Restrictions of occupation

none

Other regulations, restrictions and prohibition regulations none

15.2. Chemical Safety Assessment

For this preparation a chemical safety assessment has been carried out. Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant H- and EUH-phrases (Number and full text): Hazard statements

H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.

Training advice none

Recommended restrictions of use:

refer to chapter 1.

Further remarks:

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storag

Documentation of changes:

none

Key literature references and sources for data Data arise from reference works and literature.

Abbreviations and acronyms

none